

Tampastar TPR



Tampastar TPR

(EG) Nr. 2023/ 2006.

Marabu.

- (PS),
- ABS SAN-
- (),
- (),
- ,
- ,
- ,

Tampastar TPR 1 2 60 30° - 15 1 2

- ,
- -
- -

Tampastar TPR

« »

« » (,)

Tampastar TPR

); 1

(20°)

12-14 , 2 -

8-10 .

Tampastar TPR

« ».

Tampastar TPR



			*-	/
			TPR 920	
			TPR 922	- *
		1	TPR 924	-
			TPR 926	
			TPR 930	*
		(30	TPR 932	
	/150 °).		TPR 934	
			TPR 936	*
			TPR 940	
	15° ,	-	TPR 950	*
			TPR 952	*
			TPR 954	-
			TPR 956	- *
			TPR 960	-
			TPR 962	- *
			TPR 970	
			TPR 980	
	Tampastar TPR	-		
				TPR 170
			-	TPR 122
			-	TPR 130
			-	TPR 152
			-	TPR 162
			-	(Yellow) TPR 429
			-	(Magenta) TPR 439
			-	(Cyan) TPR 459
			-	TPR 489
				TPR 191
				TPR 192
				TPR 193
		10%		
1	2.			
(System - Tampacolor)		Tampacolor	

Marabu

Tampastar TPR



Marabu-ColorFormulator

8

ColorManager
(System 21, RAL, HKS)

«+++»

Tampacolor”,

Marabu-

“System

DIN EN 71, 3

TPV
TPV 2
TPV 3
SV 1
VP
UR 3, UR 4
H 1
H 2
H 1
- 10 : 1

ES (. 1%)
P 2
MP
AP
170

TPV. 10-20%
TPV 2
TPV 3

TPR 409
TPR 910

SV1
VP.

(TPR 910)

S 181
S 182
S 183
S 184
S 186
S 190

. 2%)

Tampastar TPR 2-4%
(970

S184 S186

Tampastar TPR



170
15%. 170
ES
1% (
)
1907/ 2006,
UR 3 (42 °)
UR 4 (52 °).
21° 100°
(10).
18-21

Tampastar TPR